


SSN



Materials

Stationary - Cer, Sic, SSic, TC, ChrStl
 Elastomer - NBR, EPDM, Viton

Shaft ØD			L1	ØD1	ØD2	L5
Inches	Code	Metric				
0.375	0095	10	8.7	24.60	11.0	7.5
0.500	0127	12	8.7	27.80	13.5	7.5
0.625	0158	14	10.3	30.95	17.0	9.0
		16				
0.750	0191	17	10.3	34.15	20.0	9.0
		18				
		19				
0.810	0206	20	10.3	35.70	21.5	9.0
0.875	0222	22	10.3	37.30	23.0	9.0
1.000	0254	24	10.3	40.50	26.5	9.0
		25				
1.125	0285	27	11.9	47.65	29.5	10.5
		28				
		29				
1.250	0317	30	11.9	50.80	32.5	10.5
		32				
1.375	0349	34	11.9	54.00	36.5	10.5
		35				
1.500	0381	38	11.9	57.15	39.5	10.5
1.625	0412	40	11.9	60.35	42.5	10.5
1.750	0444	42	11.9	63.50	46.0	10.5
		43				
		45				
1.875	0476	48	11.9	66.70	49.0	10.5
2.000	0508	50	13.5	69.85	52.0	12.0
2.125	0539	53	13.5	73.05	55.5	12.0
		54				
2.250	0571	55	13.5	76.20	58.5	12.0
2.375	0603	60	13.5	79.40	61.5	12.0
2.500	0635	63	13.5	82.55	-	-
2.625	0666	65	15.9	92.10	68.0	14.5
2.750	0698	70	15.9	95.25	71.0	14.5
2.875	0730	73	15.9	98.45		
3.000	0762	75	15.9	101.60	77.5	14.5
3.125	0793	-	19.9	111.15		
3.250	0825	80	19.9	114.30	84.0	18.5
3.375	0857	85	19.9	117.50	87.0	18.5
3.500	0889	90	19.9	120.65	93.5	18.5
3.625	0920	-	19.9	123.85		
3.750	0952	95	19.9	127.00	96.5	18.5
3.875	0984	-	19.9	130.20		
4.000	1016	100	19.9	133.35	103.0	18.5